

| ORDER | (SUBORDER) | (INFRAORDER) | (SUPERFAMILY) | FAMILY | (SUBFAMILY) | | | | | | |
|---|------------|----------------------|---------------|--|-------------|-------------------|--|--|-------------------|---------------------------|----------------|
| | | Genus | (Subgenus) | Descriptor | | | | | | | |
| | | Species | Descriptor | | Subspecies | Descriptor | | Common names, English (Maori) | Distrib. & status | DOC Threat classification | DOC Qualifiers |
| DINORNITHIFORMES : Moas | | | | | | | | | | | |
| EMEIDAE | | | | | | | | | | | |
| (ANOMALOPTERYGINAE) | | | | | | | | | | | |
| | | <i>Anomalopteryx</i> | | Reichenbach | | | | | | | |
| | | | | <i>Anomalopteryx didiformis</i> | | (Owen) | | | Z | | |
| | | <i>Megalapteryx</i> | | Haast | | | | | | | |
| | | | | <i>Megalapteryx didinus</i> | | (Owen) | | | Z | | |
| | | <i>Pachyornis</i> | | Lydekker | | | | | | | |
| | | | | <i>Pachyornis elephantopus</i> | | (Owen) | | | Z | | |
| | | | | <i>Pachyornis australis</i> | | Oliver | | | Z | | |
| | | | | <i>Pachyornis mappini</i> | | Archev | | | Z | | |
| (EMEINAE) | | | | | | | | | | | |
| | | <i>Emeus</i> | | Reichenbach | | | | | | | |
| | | | | <i>Emeus crassus</i> | | (Owen) | | | Z | | |
| | | <i>Euryapteryx</i> | | Haast | | | | | | | |
| | | | | <i>Euryapteryx geranoides</i> | | (Owen) | | | Z | | |
| | | | | <i>Euryapteryx curtus</i> | | (Owen) | | | Z | | |
| DINORNITHIDAE | | | | | | | | | | | |
| | | <i>Dinornis</i> | | Owen | | | | | | | |
| | | | | <i>Dinornis struthoides</i> | | Owen | | | Z | | |
| | | | | <i>Dinornis novaezealandiae</i> | | Owen | | | Z | | |
| | | | | <i>Dinornis giganteus</i> | | Owen | | | Z | | |
| APTERYGIFORMES : Kiwis | | | | | | | | | | | |
| APTERYGIDAE : Kiwis | | | | | | | | | | | |
| | | <i>Apteryx</i> | | Shaw & Nodder | | | | | | | |
| | | | | <i>Apteryx australis</i> | | Shaw & Nodder | | Brown Kiwi | | | |
| | | | | <i>Apteryx australis mantelli</i> | | Bartlett | | North Island Brown Kiwi | #E | 4 | HI, RF |
| | | | | <i>Apteryx australis australis</i> | | Shaw & Nodder | | South Island Brown Kiwi (<i>Tokoeka</i>) | #E | 5 | HI, RF |
| | | | | <i>Apteryx australis lawryi</i> | | Rothschild | | Stewart Island Brown Kiwi (<i>Tokoeka</i>) | #E | | |
| | | | | <i>Apteryx owenii</i> | | Gould | | Little Spotted Kiwi (<i>Kiwi-pukupuku</i>) | #CE | 7 | RC, HI |
| | | | | <i>Apteryx haastii</i> | | Potts | | Great Spotted Kiwi (<i>Roa</i>) | #E | 5 | HI, RF |
| PODICIPEDIFORMES : Grebes | | | | | | | | | | | |
| PODICIPEDIDAE : Grebes | | | | | | | | | | | |
| | | <i>Podiceps</i> | | Latham | | | | | | | |
| | | | | <i>Podiceps cristatus</i> | | (Linnaeus) | | Great Crested Grebe | | | |
| | | | | <i>Podiceps cristatus australis</i> | | Gould | | Australasian Crested Grebe (<i>Puteketeke</i>) | # | 1 | TO, HI |
| | | <i>Poliocephalus</i> | | Selby | | | | | | | |
| | | | | <i>Poliocephalus rufopectus</i> | | (Gray) | | New Zealand Dabchick (<i>Wewea</i>) | #E | 6 | ST? |
| | | | | <i>Poliocephalus poliocephalus</i> | | (Jardine & Selby) | | Hoary-headed Grebe | #S | | |
| | | <i>Tachybaptus</i> | | Reichenbach | | | | | | | |
| | | | | <i>Tachybaptus novaehollandiae</i> | | (Stephens) | | Eastern Little Grebe | | | |
| | | | | <i>Tachybaptus novaehollandiae novaehollandiae</i> | | (Stephens) | | Australasian Little Grebe | # | C | SO |
| PROCELLARIIFORMES : Tube-nosed Birds | | | | | | | | | | | |
| DIOMEDEIDAE : Albatrosses, Mollymawks | | | | | | | | | | | |
| | | <i>Manu</i> | | Marples | | | | | | | |
| | | | | <i>Manu antiquus</i> | | Marples | | | Z | | |
| | | <i>Diomedea</i> | | Linnaeus | | | | | | | |
| | | | | <i>Diomedea exulans</i> | | Linnaeus | | Wandering Albatross | OC | M | |
| | | | | <i>Diomedea epomophora</i> | | Lessort | | Royal Albatross (<i>Toroa</i>) | | | |
| | | | | <i>Diomedea epomophora epomophora</i> | | Lessort | | Southern Royal Albatross (<i>toroa</i>) | OCE | 7 | HI |
| | | | | <i>Diomedea epomophora sanfordi</i> | | Murphy | | Northern Royal Albatross (<i>toroa</i>) | #OE | 3 | RF |
| | | | | <i>Diomedea nigripes</i> | | Audubon | | Black-footed Albatross | V | | |
| | | | | <i>Diomedea immutabilis</i> | | Rothschild | | Laysan Albatross | V | | |
| | | | | <i>Diomedea melanophrys</i> | | Temminck | | Black-browed Mollymawk | | | |
| | | | | <i>Diomedea melanophrys melanophrys</i> | | Temminck | | Black-browed Mollymawk | OC | C | TO |
| | | | | <i>Diomedea melanophrys impavida</i> | | (Mathews) | | New Zealand Black-browed Mollymawk | OCE | 3 | ST, OL |
| | | | | <i>Diomedea cauta</i> | | Gould | | White-capped (Shy) Mollymawk | | | |
| | | | | <i>Diomedea cauta cauta</i> | | Gould | | White-capped (Shy) Mollymawk | V | | |
| | | | | <i>Diomedea cauta steadi</i> | | Falla | | New Zealand White-capped (Shy) Mollymawk | OCE | 7 | |
| | | | | <i>Diomedea cauta salvini</i> | | (Rothschild) | | Salvin's Mollymawk | OC | 7 | DP, TO |
| | | | | <i>Diomedea cauta eremita</i> | | (Murphy) | | Chatham Island Mollymawk | OE | 4 | OL |
| | | | | <i>Diomedea chrysostoma</i> | | Forster | | Grey-headed Mollymawk | OC | 4 | TO, OL |
| | | | | <i>Diomedea chlororhynchus</i> | | Gmelin | | Yellow-nosed Mollymawk | | | |
| | | | | <i>Diomedea chlororhynchus chlororhynchus</i> | | Gmelin | | Atlantic Yellow-nosed Mollymawk | V | V | TO |
| | | | | <i>Diomedea chlororhynchus carteri</i> | | (Rothschild) | | Yellow-nosed Mollymawk | OC | C | OL |
| | | | | <i>Diomedea bulleri</i> | | Rothschild | | Buller's Mollymawk | | | |
| | | | | <i>Diomedea bulleri bulleri</i> | | Rothschild | | Southern Buller's Mollymawk | OCE | 7 | |
| | | | | <i>Diomedea bulleri platei</i> | | Reichenow | | Northern Buller's Mollymawk | OE | 7 | ST |
| | | <i>Phoebetria</i> | | Reichenbach | | | | | | | |
| | | | | <i>Phoebetria fusca</i> | | (Hilsenberg) | | Sooty Albatross | V | | |
| | | | | <i>Phoebetria palpebrata</i> | | (Forster) | | Light-mantled Sooty Albatross | O | 5 | DP, SO |
| PROCELLARIIDAE : Shearwaters, Diving Petrels, Fulmars, Prions and Gadfly Petrels | | | | | | | | | | | |
| (PROCELLARIINAE : Shearwaters and Diving Petrels) | | | | | | | | | | | |
| | | <i>Calonectris</i> | | Mathews & Iredale | | | | | | | |
| | | | | <i>Calonectris diomedea</i> | | (Scopoli) | | North Atlantic Shearwater | | | |
| | | | | <i>Calonectris diomedea borealis</i> | | (Cory) | | North Atlantic (Cory's) Shearwater | V | | |
| | | <i>Puffinus</i> | | Brisson | | | | | | | |
| | | | | (Ardenna) | | | | | | | |
| | | | | <i>Puffinus creatopus</i> | | Coues | | Pink-footed Shearwater | OS | | |
| | | | | <i>Puffinus carneipes</i> | | Gould | | Flesh-footed Shearwater | OC | 5 | SO |
| | | | | (Thyellodroma) | | | | | | | |
| | | | | <i>Puffinus pacificus</i> | | (Gmelin) | | Wedge-tailed Shearwater | | | |
| | | | | <i>Puffinus pacificus pacificus</i> | | (Gmelin) | | Wedge-tailed Shearwater | O | 7 | SO |
| | | | | <i>Puffinus pacificus chlororhynchus</i> | | | | Wedge-tailed Shearwater | V | | |
| | | | | Lesson | | | | | | | |
| | | | | <i>Puffinus bulleri</i> | | Salvin | | Buller's Shearwater | OCE | 7 | ST, OL |
| | | | | (Puffinus) | | | | | | | |
| | | | | <i>Puffinus griseus</i> | | (Gmelin) | | Sooty Shearwater (Muttonbird), (<i>Titi</i>) | #OC | 5 | TO |
| | | | | <i>Puffinus tenuirostris</i> | | (Temminck) | | Short-tailed Shearwater (Tasmanian Muttonbird) | O | M | |
| | | | | <i>Puffinus nativitatis</i> | | Streets | | Christmas Island Shearwater | V | | |
| | | | | <i>Puffinus puffinus</i> | | (Brünnich) | | Manx Shearwater | | | |
| | | | | <i>Puffinus puffinus puffinus</i> | | (Brünnich) | | Manx Shearwater | V | | |
| | | | | <i>Puffinus puffinus newelli</i> | | Henshaw | | Newell's Shearwater | V | | |
| | | | | <i>Puffinus gavia</i> | | (Forster) | | Fluttering Shearwater (<i>Pakaha</i>) | OC | N | |
| | | | | <i>Puffinus huttoni</i> | | Mathews | | Hutton's Shearwater | #OCE | 2 | HI, OL |

| | | | | | | |
|--|--|---|--|------|---|------------|
| | | <i>Puffinus assimilis</i> Gould | Little Shearwater | | | |
| | | <i>Puffinus assimilis assimilis</i> Gould | Norfolk Island Little Shearwater | OS | | |
| | | <i>Puffinus assimilis kermadecensis</i> Murphy | Kermadec Little Shearwater | OE | 7 | ST |
| | | <i>Puffinus assimilis haurakiensis</i> Fleming & Serveny | North Island Little Shearwater | OCE | N | RC, HI |
| | | <i>Puffinus assimilis elegans</i> Giglioli & Salvadori | Subantarctic Little Shearwater | O | 7 | SO |
| | | Pelecanoidea Lacépède | | | | |
| | | <i>Pelecanoides urinatrix</i> (Gmelin) | Common Diving Petrel | | | |
| | | <i>Pelecanoides urinatrix urinatrix</i> (Gmelin) | Common Diving Petrel (<i>Kuaka</i>) | OC | N | |
| | | <i>Pelecanoides urinatrix exsul</i> Salvin | Subantarctic Diving Petrel | O | N | |
| | | <i>Pelecanoides georgicus</i> Murphy & Harper | South Georgian Diving Petrel | OC | 1 | HI, OL |
| | | Procellaria Linnaeus | | | | |
| | | <i>Procellaria cinerea</i> Gmelin | Grey Petrel | O | 5 | SO, HI |
| | | <i>Procellaria parkinsoni</i> Gray | Black (Parkinson's) Petrel | OCE | 5 | HI, RF |
| | | <i>Procellaria westlandica</i> Falla | Westland Petrel | #OCE | 7 | ST, OL |
| | | <i>Procellaria aequinoctialis</i> Linnaeus | White-chinned Petrel (Shoemaker) | | | |
| | | <i>Procellaria aequinoctialis aequinoctialis</i> Linnaeus | White-chinned Petrel | O | 7 | TO, HI |
| | | Bulweria Bonaparte | | | | |
| | | <i>Bulweria bulwerii</i> (Jardine & Selby) | Bulwer's Petrel | V | | |
| | | Pseudobulweria Mathews | | | | |
| | | <i>Pseudobulweria rostrata</i> (Peale) | Tahiti Petrel | V | | |
| | | [FULMARINAE : Fulmars, Prions and Gadfly Petrels] | | | | |
| | | Lugensa Mathews | | | | |
| | | <i>Lugensa brevisrostris</i> (Lesson) | Kerguelen Petrel | O | M | |
| | | Pagodroma Bonaparte | | | | |
| | | <i>Pagodroma nivea</i> (Forster) | Snow Petrel | | | |
| | | <i>Pagodroma nivea nivea</i> (Forster) | Greater Snow Petrel | O | M | |
| | | <i>Pagodroma nivea minor</i> (Schlegel) | Lesser Snow Petrel | O | M | |
| | | Daption Stephens | | | | |
| | | <i>Daption capense</i> (Linnaeus) | Cape Pigeon | | | |
| | | <i>Daption capense capense</i> (Linnaeus) | Cape Pigeon | OC | | |
| | | <i>Daption capense australe</i> Mathews | Snares Cape Pigeon | OCE | 7 | |
| | | Thalassoica Reichenbach | | | | |
| | | <i>Thalassoica antarctica</i> (Gmelin) | Antarctic Petrel | O | M | |
| | | Fulmarus Stephens | | | | |
| | | <i>Fulmarus glacialis</i> (Smith) | Antarctic Fulmar | O | M | |
| | | Macronectes Richmond | | | | |
| | | <i>Macronectes giganteus</i> (Gmelin) | Southern Giant Petrel | O | M | |
| | | <i>Macronectes halli</i> Mathews | Northern Giant Petrel | OC | N | TO |
| | | Pachyptila Illiger | | | | |
| | | <i>Pachyptila turtur</i> (Kuhl) | Fairy Prion (<i>Titi Wainui</i>) | OC | N | SO, HI |
| | | <i>Pachyptila crassirostris</i> (Mathews) | Fulmar Prion | | | |
| | | <i>Pachyptila crassirostris crassirostris</i> (Mathews) | Fulmar Prion | O | 7 | TO |
| | | <i>Pachyptila crassirostris pyramidalis</i> Fleming | Chatham Fulmar Prion | OE | 7 | ST |
| | | <i>Pachyptila belcheri</i> (Mathews) | Thin-billed Prion | O | M | |
| | | <i>Pachyptila desolata</i> (Gmelin) | Antarctic Prion | | | |
| | | <i>Pachyptila desolata desolata</i> (Gmelin) | Antarctic (Kerguelen) Prion | OS | 5 | SO, HI |
| | | <i>Pachyptila desolata banksi</i> Smith | Antarctic Prion | O | | |
| | | <i>Pachyptila salvini</i> (Mathews) | Salvin's Prion | O | M | |
| | | <i>Pachyptila salvini salvini</i> (Mathews) | Salvin's Prion | O | M | |
| | | <i>Pachyptila vittata</i> (Forster) | Broad-billed Prion (<i>Parara</i>) | O | N | SO |
| | | Halobaena Bonaparte | | | | |
| | | <i>Halobaena caerulea</i> (Gmelin) | Blue Petrel | O | M | |
| | | Pterodroma Bonaparte | | | | |
| | | [Cookiaria] | | | | |
| | | <i>Pterodroma longirostris</i> (Stejneger) | Stejneger's Petrel | OS | | |
| | | <i>Pterodroma pycrofti</i> Falla | Pycroft's Petrel | OCE | 7 | RC, HI |
| | | <i>Pterodroma leucoptera</i> (Gould) | Gould's Petrel | | | |
| | | <i>Pterodroma leucoptera caledonica</i> Imber & Jenkins | New Caledonian Petrel | OS | M | |
| | | <i>Pterodroma cookii</i> (Gray) | Cook's Petrel (<i>Titi</i>) | OCE | 5 | RF |
| | | [Oestrelatella] | | | | |
| | | <i>Pterodroma nigripennis</i> (Rothschild) | Black-winged Petrel | OC | N | |
| | | <i>Pterodroma axillaris</i> (Salvin) | Chatham Petrel | OE | 2 | CD, OL |
| | | <i>Pterodroma inexpectata</i> (Forster) | Mottled Petrel (<i>Korure</i>) | OCE | 7 | RC, HI |
| | | <i>Pterodroma cervicalis</i> (Salvin) | White-naped Petrel | | | |
| | | <i>Pterodroma cervicalis cervicalis</i> (Salvin) | White-naped Petrel | OE | 7 | RC, TO, OL |
| | | [Hallstroma] | | | | |
| | | <i>Pterodroma externa</i> (Salvin) | Juan Fernandez Petrel | V | | |
| | | <i>Pterodroma alba</i> (Gmelin) | Phoenix Petrel | V | V | TO |
| | | <i>Pterodroma neglecta</i> (Schlegel) | Kermadec Petrel | | | |
| | | <i>Pterodroma neglecta neglecta</i> (Schlegel) | Kermadec Petrel | O | 2 | SO, HI |
| | | [Pterodroma] | | | | |
| | | <i>Pterodroma solandri</i> (Gould) | Providence Petrel | V | | |
| | | <i>Pterodroma macroptera</i> (Smith) | Great-winged Petrel | | | |
| | | <i>Pterodroma macroptera gouldi</i> (Hutton) | Grey-faced Petrel (<i>Oi</i>) | #OCE | N | |
| | | <i>Pterodroma magenta</i> (Giglioli & Salvadori) | Magenta Petrel (Chatham Island Taiko) | OE | 1 | CD, OL |
| | | <i>Pterodroma lessonii</i> (Garrot) | White-headed Petrel | O | N | SO, HI |
| | | <i>Pterodroma mollis</i> (Gould) | Soft-plumaged Petrel | O | C | SO |
| | | HYDROBATIDAE : Storm Petrels | | | | |
| | | [HYDROBATINAE : Northern Storm Petrels] | | | | |
| | | Oceanodroma Reichenbach | | | | |
| | | <i>Oceanodroma leucorhoa</i> (Vieillot) | Leach's Storm Petrel | | | |
| | | <i>Oceanodroma leucorhoa leucorhoa</i> (Vieillot) | Leach's Storm Petrel | V | | |
| | | OCEANITINAE : Southern Storm Petrels | | | | |
| | | Oceanites Keyserling and Blasius | | | | |
| | | [Oceanites] | | | | |
| | | <i>Oceanites oceanicus</i> (Kuhl) | Wilson's Storm Petrel | | | |
| | | <i>Oceanites oceanicus exasperatus</i> Mathews | Wilson's Storm Petrel | O | | |
| | | [Garrodia] | | | | |
| | | <i>Oceanites nereis</i> (Gould) | Grey-backed Storm Petrel | O | N | SO, HI |
| | | Pelagodroma Reichenbach | | | | |
| | | <i>Pelagodroma marina</i> (Latham) | White-faced Storm Petrel | | | |
| | | <i>Pelagodroma marina dulciae</i> Mathews | Australian White-faced Storm Petrel | OS | | |
| | | <i>Pelagodroma marina maoriana</i> Mathews | New Zealand White-faced Storm Petrel (<i>Takahikare-moana</i>) | OCE | N | HI |
| | | <i>Pelagodroma marina albicinctus</i> Murphy & Irving | Kermadec Storm Petrel | OE | 1 | HI, OL? |
| | | Fregatta Bonaparte | | | | |
| | | <i>Fregatta tropica</i> (Gould) | Black-bellied Storm Petrel | O | N | SO, HI |
| | | <i>Fregatta grallaria</i> (Vieillot) | White-bellied Storm Petrel | | | |
| | | <i>Fregatta grallaria grallaria</i> (Vieillot) | White-bellied Storm Petrel | O | 7 | TO |
| | | SPHENISCIFORMES : Penguins | | | | |

| | | | | | |
|---|-------------------|--|-----------------------|--|--------------------|
| SPHENISCIDAE : Penguins | | | | | |
| | Palaeodyptes | Huxley | | | |
| | | <i>Palaeodyptes antarcticus</i> | Huxley | Z | |
| | | <i>Palaeodyptes marplesi</i> | Brodtkorb | Z | |
| | Pachydyptes | Oliver | | | |
| | | <i>Pachydyptes ponderosus</i> | Oliver | Z | |
| | Platydyptes | Marples | | | |
| | | <i>Platydyptes novaezealandiae</i> | (Oliver) | Z | |
| | | <i>Platydyptes amiesi</i> | Marples | Z | |
| | | <i>"Platydyptes" marplesi</i> | Simpson | Z | |
| | Archaeospheniscus | Marples | | | |
| | | <i>Archaeospheniscus lowei</i> | Marples | Z | |
| | | <i>Archaeospheniscus lopedelli</i> | Marples | Z | |
| | Dunroonornis | Marples | | | |
| | | <i>Dunroonornis parvus</i> | Marples | Z | |
| | Korora | Marples | | | |
| | | <i>Korora oliveri</i> | Marples | Z | |
| | Marplesornis | Simpson | | | |
| | | <i>Marplesornis novaezealandiae</i> | (Marples) | Z | |
| | Tereingaornis | Scarlett | | | |
| | | <i>Tereingaornis moisleyi</i> | Scarlett | Z | |
| | Aptenodytes | Miller | | | |
| | | <i>Aptenodytes forsteri</i> | Gray | O | |
| | | <i>Aptenodytes patagonicus</i> | Miller | O | M |
| | | <i>Aptenodytes ridgeni</i> | Simpson | Z | |
| | Megadyptes | Milne-Edwards | | | |
| | | <i>Megadyptes antipodes</i> | (Hombron & Jacquinot) | Yellow-eyed Penguin (<i>Hoiho</i>) | #OCE 3 ST, HI |
| | Pygoscelis | Wagler | | | |
| | | <i>Pygoscelis papua</i> | (Forster) | Gentoo Penguin | |
| | | <i>Pygoscelis papua papua</i> | (Forster) | Northern Gentoo Penguin | O |
| | | <i>Pygoscelis adeliae</i> | (Hombron & Jacquinot) | Adelie Penguin | O |
| | | <i>Pygoscelis antarctica</i> | (Forster) | Chinstrap (Ringed) Penguin | O |
| | | <i>Pygoscelis tyreei</i> | Simpson | | Z |
| | Eudyptula | Bonaparte | | | |
| | | <i>Eudyptula minor</i> | (Forster) | Blue Penguin (<i>Korora</i>) | #OC 3, 5, 7 HI, EF |
| | Eudyptes | Vieillot : Crested Penguins | | | |
| | | <i>Eudyptes chrysocome</i> | (Forster) | Rockhopper Penguin | |
| | | <i>Eudyptes chrysocome chrysocome</i> | (Forster) | Western Rockhopper Penguin | O |
| | | <i>Eudyptes chrysocome filholi</i> | Hutton | Eastern Rockhopper Penguin | OE 4 TO |
| | | <i>Eudyptes chrysocome moseleyi</i> | Mathews & Iredale | Moseley's Rockhopper Penguin | V |
| | | <i>Eudyptes chrysolophus</i> | (Brandt) | Macaroni Penguin | |
| | | <i>Eudyptes chrysolophus chrysolophus</i> | (Brandt) | Macaroni Penguin | V |
| | | <i>Eudyptes chrysolophus schlegelii</i> | Frisch | Royal Penguin | O |
| | | <i>Eudyptes pachyrhynchus</i> | Gray | Fiordland Crested Penguin (<i>Pokotiwaha</i>) | #CE 5 HI |
| | | <i>Eudyptes robustus</i> | Oliver | Snares Crested Penguin | OE 7 OL |
| | | <i>Eudyptes sclateri</i> | Buller | Erect-crested Penguin | OE 2 |
| | Spheniscus | Brisson | | | |
| | | <i>Spheniscus magellanicus</i> | (Forster) | Magellanic Penguin | V |
| PELECANIFORMES : Pelicans, Gannets, Cormorants and Allies | | | | | |
| (PHAETHONTES : Tropicbirds) | | | | | |
| PHAETHONTIDAE : Tropicbirds | | | | | |
| | Phaethon | Linnaeus | | | |
| | | <i>Phaethon rubricauda</i> | Boddaert | Red-tailed Tropicbird | O 7 SO, HI |
| | | <i>Phaethon lepturus</i> | Daudin | White-tailed Tropicbird | |
| | | <i>Phaethon lepturus dorotheae</i> | Mathews | White-tailed Tropicbird | V |
| (PELECANI : Pelicans, Gannets, Cormorants, Darters) | | | | | |
| (PELECANOIDEA : Pelicans and Allies) | | | | | |
| PELECANIDAE : Pelicans | | | | | |
| | Pelecanus | Linnaeus | | | |
| | | <i>Pelecanus conspicillatus</i> | Temminck | Australian Pelican | |
| | | <i>Pelecanus conspicillatus conspicillatus</i> | Temminck | Australian Pelican | V |
| | | <i>Pelecanus novaezealandiae</i> | Scarlett | New Zealand Pelican | Z |
| PELAGORNITHIDAE : Bony-toothed Pelicans | | | | | |
| | Pelagornis | Lartet | | | |
| | | <i>Pelagornis miocaenus</i> | Lartet | | Z |
| | Pseudodontornis | Lambrecht | | | |
| | | <i>Pseudodontornis stirtoni</i> | Howard & Warter | | Z |
| (SULOIDEA : Gannets, Cormorants, Darters) | | | | | |
| SULIDAE : Gannets and Boobies | | | | | |
| | Morus | Vieillot | | | |
| | | <i>Morus capensis</i> | (Lichtenstein) | Cape Gannet | #C |
| | | <i>Morus serrator</i> | (G. R. Gray) | Australasian Gannet (<i>Takapu</i>) | #OC N RC, SO |
| | Sula | Brisson | | | |
| | | <i>Sula leucogaster</i> | (Boddaert) | Brown Booby | |
| | | <i>Sula leucogaster plotus</i> | (Forster) | Brown Booby | OS |
| | | <i>Sula dactylatra</i> | Lesson | Masked (Blue-faced) Booby | |
| | | <i>Sula dactylatra personata</i> | Gould | Masked (Blue-faced) Booby | O 1 TO |
| PHALACROCORACIDAE : Cormorants and Shags | | | | | |
| | Phalacrocorax | Brisson | | | |
| | | <i>Phalacrocorax carbo</i> | (Linnaeus) | Black Shag (Black Cormorant, Great Cormorant) | |
| | | <i>Phalacrocorax carbo novaezealandiae</i> | Stephens | Black Shag (Black Cormorant) (<i>Kawau</i>) | #OC 6 SO |
| | | <i>Phalacrocorax varius</i> | (Gmelin) | Pied Shag (Pied Cormorant) | |
| | | <i>Phalacrocorax varius varius</i> | (Gmelin) | Pied Shag (Pied Cormorant) (<i>Karuhiruhi</i>) | #C 6 DP, SO, HI |
| | | <i>Phalacrocorax sulcirostris</i> | (Brandt) | Little Black Shag (Little Black Cormorant) | # 6 SO |
| | | <i>Phalacrocorax melanoleucos</i> | (Vieillot) | Little Shag (Little Pied Cormorant) | |
| | | <i>Phalacrocorax melanoleucos brevirostris</i> | Gould | Little Shag (<i>Kawaupaka</i>) | #CE N |
| | Leucocarbo | Bonaparte | | | |
| | | <i>Leucocarbo carunculatus</i> | (Gmelin) | New Zealand King Shag | #CE 7 ST |
| | | <i>Leucocarbo chalconotus</i> | (Gray) | Stewart Island Shag, Bronze Shag | #CE 3 HI |
| | | <i>Leucocarbo onslowi</i> | (Forbes) | Chatham Island Shag | OE 7 ST? |
| | | <i>Leucocarbo ranfurlyi</i> | (Ogilvie-Grant) | Bounty Island Shag | OE 7 |
| | | <i>Leucocarbo colensoi</i> | (Buller) | Auckland Island Shag | OE 7 |
| | | <i>Leucocarbo campbelli</i> | (Fillhol) | Campbell Island Shag | OE 7 OL |
| | | <i>Leucocarbo atriceps</i> | (King) | Imperial/Blue-eyed/King Shag | |
| | | <i>Leucocarbo atriceps purpurascens</i> | (Brandt) | Macquarie Island Shag | O |
| | Stictocarbo | Bonaparte | | | |
| | | <i>Stictocarbo punctatus</i> | (Sparman) | Spotted Shag | |
| | | <i>Stictocarbo punctatus punctatus</i> | (Sparman) | Spotted Shag (<i>Parekareka</i>) | #CE N RC |
| | | <i>Stictocarbo punctatus steadi</i> | Oliver | Blue Shag | #CE N |
| | | <i>Stictocarbo featherstoni</i> | (Buller) | Pitt Island Shag | OE 7 ST? |
| ANHINGIDAE : Darters | | | | | |
| | Anhinga | Brisson | | | |
| | | <i>Anhinga melanogaster</i> | Pennant | Darter | |

| | | | | | | | |
|---|--|--|---|--|------|-----|------------|
| | | | <i>Anhinga melanogaster rufa</i> (Daudin) | Darter | V | | |
| [FREGATAE : Frigatebirds] | | | | | | | |
| FREGATIDAE : Frigatebirds | | | | | | | |
| | | | <i>Fregata</i> Laccépède | | | | |
| | | | <i>Fregata minor</i> (Gmelin) | Greater Frigatebird | | | |
| | | | <i>Fregata minor peninsulæ</i> Mathews | Greater Frigatebird | V | | |
| | | | <i>Fregata ariel</i> (Gray) | Lesser Frigatebird | V | | |
| [CICONIIFORMES : Herons, Ibises, Storks and Allies] | | | | | | | |
| [ARDEAE : Herons, Bitterns and Allies] | | | | | | | |
| ARDEIDAE : Herons and Bitterns | | | | | | | |
| | | | [ARDEINAE : Herons, Egrets] | | | | |
| | | | <i>Ardea</i> Linnaeus | | | | |
| | | | <i>Ardea novaehollandiae</i> Latham | White-faced Heron | | | |
| | | | <i>Ardea novaehollandiae</i> | White-faced Heron | #OC | N | SO |
| | | | <i>Ardea novaehollandiae</i> Latham | | | | |
| | | | <i>Ardea pacifica</i> Latham | White-necked Heron | V | | |
| | | | <i>Egretta</i> T. Forster | | | | |
| | | | <i>Egretta alba</i> (Linnaeus) | Great White Heron (Great Egret) | | | |
| | | | <i>Egretta alba modesta</i> (J. E. Gray) | White Heron (White Egret) (<i>Kotuku</i>) | # | 1 | ST, SO |
| | | | <i>Egretta garzetta</i> Linnaeus | Little Egret | | | |
| | | | <i>Egretta garzetta nigripes</i> (Temminck) | Little Egret | #S | M | |
| | | | <i>Egretta intermedia</i> (Wagler) | Intermediate Egret (Plumed Egret) | V | | |
| | | | <i>Egretta sacra</i> (Gmelin) | Reef Heron | | | |
| | | | <i>Egretta sacra sacra</i> (Gmelin) | Reef Heron (Blue Heron) (<i>Matuku-moana</i>) | #C | 2 | DP, SO, HI |
| | | | <i>Bubulcus</i> Bonaparte | | | | |
| | | | <i>Bubulcus ibis</i> (Linnaeus) | Cattle Egret | | | |
| | | | <i>Bubulcus ibis coromandus</i> (Boddaert) | Cattle Egret | # | M | |
| [NYCTICORACINAE : Night Herons] | | | | | | | |
| | | | <i>Nycticorax</i> T. Forster | | | | |
| | | | <i>Nycticorax caledonicus</i> (Gmelin) | Nankeen Night Heron | V | C | SO |
| [BOTAURINAE : Bitterns] | | | | | | | |
| | | | <i>Botaurus</i> Stephens | | | | |
| | | | <i>Botaurus poiciloptilus</i> (Wagler) | Australasian Bittern (<i>Matuku</i>) | # | 2 | TO, HI |
| | | | <i>Ixobrychus</i> Billberg | | | | |
| | | | <i>Ixobrychus novaeseelandiae</i> (Potts) | New Zealand Little Bittern | #EX | E | |
| | | | <i>Ixobrychus minutus</i> (Linnaeus) | Little Bittern | | | |
| | | | <i>Ixobrychus minutus dubius</i> Mathews | Australian Little Bittern | V | | |
| [THRESKIORNITHES : Ibises and Spoonbills] | | | | | | | |
| THRESKIORNITHIDAE : Ibises and Spoonbills | | | | | | | |
| | | | [THRESKIORNITHINAE : Ibises] | | | | |
| | | | <i>Plegadis</i> Kaup | | | | |
| | | | <i>Plegadis falcinellus</i> (Linnaeus) | Glossy Ibis | #S | | |
| | | | <i>Threskiornis</i> G.R.Gray | | | | |
| | | | <i>Threskiornis molucca</i> (Cuvier) | White Ibis | | | |
| | | | <i>Threskiornis molucca strictipennis</i> (Gould) | Australian White Ibis | V | | |
| [PLATALEINAE : Spoonbills] | | | | | | | |
| | | | <i>Platalea</i> Linnaeus | | | | |
| | | | <i>Platalea regia</i> Gould | Royal Spoonbill (<i>Kotuku-ngutupapa</i>) | # | C | |
| | | | <i>Platalea flavipes</i> Gould | Yellow-billed Spoonbill | V | | |
| [ANSERIFORMES : Duck-like Birds] | | | | | | | |
| [ANSERES : Swans, Geese, Ducks] | | | | | | | |
| ANATIDAE : Swans, Geese, Ducks | | | | | | | |
| [DENDROCYGNINAE : Whistling Ducks] | | | | | | | |
| | | | <i>Dendrocygna</i> Swainson | | | | |
| | | | <i>Dendrocygna eytoni</i> (Eyton) | Grass (Plumed) Whistling Duck | V | | |
| [ANSERINAE : Swans and Geese] | | | | | | | |
| | | | <i>Cygnus</i> Bechstein | | | | |
| | | | <i>Cygnus olor</i> (Gmelin) | Mute (White) Swan | #I | | |
| | | | <i>Cygnus atratus</i> (Latham) | Black Swan | #OI | N | SO |
| | | | <i>Cygnus sumnerensis</i> (Forbes) | | Z | | |
| | | | <i>Branta</i> Scopoli | | | | |
| | | | <i>Branta canadensis</i> (Linnaeus) | Canada Goose | | | |
| | | | <i>Branta canadensis maxima</i> Delacour | Canada Goose | #I | | |
| | | | <i>Cereopsis</i> Latham | | | | |
| | | | <i>Cereopsis novaehollandiae</i> Latham | Cape Barren Goose | #I | | |
| | | | <i>Cnemiornis</i> Owen | | | | |
| | | | <i>Cnemiornis calcitrans</i> Owen | | | | |
| | | | <i>Cnemiornis gracilis</i> Forbes | | | | |
| [TADORNINAE : Shelducks] | | | | | | | |
| | | | <i>Tadorna</i> Lorenz von Oken | | | | |
| | | | <i>Tadorna variegata</i> (Gmelin) | Paradise Shelduck (<i>Putangitangi</i>) | #E | N | |
| | | | <i>Tadorna tadornoides</i> (Jardine & Selby) | Chestnut-breasted Shelduck (Australian Shelduck) | #S | C | SO |
| [ANATINAE : Ducks] | | | | | | | |
| | | | <i>Chenonetta</i> Brandt | | | | |
| | | | <i>Chenonetta jubata</i> (Latham) | Australian Wood Duck (Maned Goose) | V | | |
| | | | <i>Hymenolaimus</i> Gray | | | | |
| | | | <i>Hymenolaimus malacorhynchus</i> (Gmelin) | Blue Duck (<i>Whio</i>) | #E | 2 | HI |
| | | | <i>Anas</i> Linnaeus | | | | |
| | | | <i>Anas platyrhynchos</i> Linnaeus | Mallard | | | |
| | | | <i>Anas platyrhynchos platyrhynchos</i> Linnaeus | Mallard | #OCI | | |
| | | | <i>Anas superciliosa</i> Gmelin | Grey Duck | | | |
| | | | <i>Anas superciliosa superciliosa</i> Gmelin | Grey Duck (<i>Parera</i>) | #OC | 4 | SO |
| | | | <i>Anas gracilis</i> Buller | Grey Teal (<i>Tete</i>) | # | N | SO |
| | | | <i>Anas castanea</i> (Eyton) | Chestnut Teal | S | | |
| | | | <i>Anas aucklandica</i> (Gray) | Brown Teal | # | | |
| | | | <i>Anas aucklandica chlorotis</i> Gray | Brown Teal (<i>Pateke</i>) | #CE | 1,2 | HI, OL |
| | | | <i>Anas aucklandica aucklandica</i> (Gray) | Auckland Island Teal (Flightless Duck) | OE | N | HI |
| | | | <i>Anas aucklandica nesiotis</i> (Fleming) | Campbell Island Teal | OE | 1 | CD, HI, OL |
| | | | <i>Anas rhynchos</i> Latham | Australasian Shoveler | | | |
| | | | <i>Anas rhynchos variegata</i> (Gould) | New Zealand Shoveler (<i>Kuruwhengi</i>) | #E | N | SO |
| | | | <i>Anas clypeata</i> Linnaeus | Northern Shoveler | V | | |
| | | | <i>Anas acuta</i> Linnaeus | Northern Pintail | V | | |
| | | | <i>Pachyanas</i> Oliver | | | | |
| | | | <i>Pachyanas chathamica</i> Oliver | | Z | | |
| | | | <i>Eurynas</i> Oliver | | | | |
| | | | <i>Eurynas finschi</i> (Van Beneden) | | Z | | |
| | | | <i>Malacorhynchus</i> Swainson | | | | |
| | | | <i>Malacorhynchus membranaceus</i> (Latham) | Pink-eared Duck | V | | |
| | | | <i>Malacorhynchus scarletti</i> Olson | | Z | | |
| | | | <i>Aythya</i> Boie | | | | |
| | | | <i>Aythya australis</i> (Eyton) | White-eyed Duck (Hardhead) | V | | |
| | | | <i>Aythya novaeseelandiae</i> (Gmelin) | New Zealand Scaup (<i>Papango</i>) | #E | N | RC |
| [MERGINAE : Sea Ducks] | | | | | | | |
| | | | <i>Mergus</i> Linnaeus | | | | |
| | | | <i>Mergus australis</i> Hombron & Jacquinot | Auckland Island Merganser | Z | E | |

| | | | | | | | |
|--|--|--|------|---------|------------|--|--|
| | [OXYURINAE : Stiff-tailed ducks] | | | | | | |
| | <i>Oxyura</i> Bonaparte | | | | | | |
| | <i>Oxyura australis</i> Gould | Blue-billed duck | Z | | | | |
| | <i>Biziura</i> Stephens | | | | | | |
| | <i>Biziura delatouri</i> Forbes | | Z | | | | |
| | FALCONIFORMES : Diurnal Birds of Prey | | | | | | |
| | [ACCIPITRES : Secretarybird, Kites, Eagles, Hawks and Allies] | | | | | | |
| | ACCIPITRIDAE : Kites, Eagles, Hawks and Allies | | | | | | |
| | [ACCIPITRINAE : Kites, Eagles, Hawks and Allies] | | | | | | |
| | <i>Milvus</i> Lape de | | | | | | |
| | <i>Milvus migrans</i> (Boddaert) | Black Kite | V | | | | |
| | <i>Circus</i> Lape de | | | | | | |
| | <i>Circus approximans</i> Peale | Australasian Harrier (<i>Kahu</i>) | #OC | N | SO | | |
| | <i>Circus eylesi</i> Scarlett | Extinct Harrier | Z | | | | |
| | <i>Haliaeetus</i> Savigny | | | | | | |
| | <i>Haliaeetus australis</i> (Harrison & Walker) | Extinct Chatham Island Sea Eagle | Z | | | | |
| | <i>Harpagornis</i> Haast | | | | | | |
| | <i>Harpagornis moorei</i> Haast | Extinct New Zealand Eagle | Z | | | | |
| | [FALCONES : Falcons and Allies] | | | | | | |
| | FALCONIDAE : Falcons | | | | | | |
| | <i>Falco</i> Linnaeus | | | | | | |
| | <i>Falco novaeeseelandiae</i> Gmelin | New Zealand Falcon (<i>Karearea</i>) | #OCE | 3, 5, 2 | HI | | |
| | <i>Falco cenchroides</i> Vigors & Horsfield | Nankeen Kestrel | | | | | |
| | <i>Falco cenchroides cenchroides</i> Vigors & Horsfield | Nankeen Kestrel | #S | | | | |
| | <i>Falco subniger</i> Gray | Black Falcon | V | | | | |
| | GALLIFORMES : Game Birds and Allies | | | | | | |
| | PHASIANIDAE : Partridges, Quails, Pheasants, Turkey | | | | | | |
| | [ODONTOPHORINAE : American Quails] | | | | | | |
| | <i>Callipepla</i> Wagler | | | | | | |
| | <i>Callipepla californica</i> (Shaw) | California Quail | | | | | |
| | <i>Callipepla californica brunnescens</i> (Ridgway) | California Quail | #I | | | | |
| | <i>Colinus</i> Goldfuss | | | | | | |
| | <i>Colinus virginianus</i> (Linnaeus) | Bobwhite Quail | IX | | | | |
| | [PHASIANINAE : Partridges, Quails, Pheasants] | | | | | | |
| | <i>Alectoris</i> Kaup | | | | | | |
| | <i>Alectoris rufa</i> (Linnaeus) | Red-legged Partridge | #I | | | | |
| | <i>Alectoris chukar</i> (J.E.Gray) | Chukor | #I | | | | |
| | <i>Perdix</i> Brisson | | | | | | |
| | <i>Perdix perdix</i> (Linnaeus) | Grey Partridge | | | | | |
| | <i>Perdix perdix perdix</i> (Linnaeus) | Grey Partridge | #IX | | | | |
| | <i>Coturnix</i> Bonmatern | | | | | | |
| | <i>Coturnix novaezealandiae</i> Quoy & Gaimard | New Zealand Quail/Stubble Quail | | | | | |
| | <i>Coturnix novaezealandiae novaezealandiae</i> Quoy & Gaimard | New Zealand Quail (<i>Koreke</i>) | Z | E | | | |
| | <i>Synoicus</i> Gould | | | | | | |
| | <i>Synoicus ypsilophorus</i> (Bosc) | Brown Quail | #I | | | | |
| | <i>Phasianus</i> Linnaeus | | | | | | |
| | <i>Phasianus colchicus</i> Linnaeus | Ring-necked Pheasant | #I | | | | |
| | <i>Pavo</i> Linnaeus | | | | | | |
| | <i>Pavo cristatus</i> Linnaeus | Peafowl | #I | | | | |
| | [MELEAGRINAE : Turkeys] | | | | | | |
| | <i>Meleagris</i> Linnaeus | | | | | | |
| | <i>Meleagris gallopavo</i> Linnaeus | Wild Turkey | #I | | | | |
| | [NUMIDINAE : Guineafowl] | | | | | | |
| | <i>Numida</i> Linnaeus | | | | | | |
| | <i>Numida meleagris</i> (Linnaeus) | Tufted Guineafowl | #I | | | | |
| | GRUIFORMES : Rails, Cranes and Allies | | | | | | |
| | RALLIDAE : Rails, Gallinules and Coots | | | | | | |
| | [RALLINAE : Rails, Gallinules, Coots and Allies] | | | | | | |
| | <i>Rallus</i> Linnaeus | | | | | | |
| | <i>Rallus philippensis</i> Linnaeus | Banded Rail | | | | | |
| | <i>Rallus philippensis assimilis</i> G.R.Gray | Banded Rail (<i>Moho-pereru</i>) | #C | 6 | DP | | |
| | <i>Rallus philippensis macquariensis</i> Hutton | Macquarie Island Banded Rail | EX | | | | |
| | <i>Rallus philippensis dieffenbachii</i> G.R.Gray | Dieffenbach's Rail | EX | E | | | |
| | <i>Rallus modestus</i> Hutton | Chatham Island Rail | Z | E | | | |
| | <i>Rallus pectoralis</i> Temminck | Lewin's Rail | | | | | |
| | <i>Rallus pectoralis muelleri</i> Rothschild | Auckland Island Rail | OE | 7 | HI | | |
| | <i>Gallirallus</i> Lafresnaye | | | | | | |
| | <i>Gallirallus australis</i> (Sparman) | Weka | | | | | |
| | <i>Gallirallus australis greyi</i> (Buller) | North Island Weka | #CE | 2 | HI, EF | | |
| | <i>Gallirallus australis australis</i> (Sparman) | Western Weka | #CE | 4 | HI, EF | | |
| | <i>Gallirallus australis hectori</i> (Hutton) | Buff Weka | #OE | N | HI, EF | | |
| | <i>Gallirallus australis scotti</i> (Ogilvie-Grant) | Stewart Island Weka | #OCE | 2 | ST, HI | | |
| | <i>Capellirallus</i> Falla | | | | | | |
| | <i>Capellirallus karamu</i> Falla | New Zealand Snipe-rail | Z | | | | |
| | <i>Diaphorapteryx</i> Forbes | | | | | | |
| | <i>Diaphorapteryx hawkingi</i> (Forbes) | Giant Chatham Island Rail | Z | | | | |
| | <i>Porzana</i> Vieillot | | | | | | |
| | <i>Porzana tabuensis</i> (Gmelin) | Spotless Crake | | | | | |
| | <i>Porzana tabuensis plumbea</i> (J. E. Gray) | Spotless Crake (<i>Puweto</i>) | #OC | 6 | SO | | |
| | <i>Porzana pusilla</i> (Pallas) | Marsh Crake | | | | | |
| | <i>Porzana pusilla affinis</i> (J. E. Gray) | Marsh Crake (<i>Koitareke</i>) | # | 6 | | | |
| | <i>Gallinula</i> Brisson | | | | | | |
| | <i>Gallinula ventralis</i> Gould | Black-tailed Native-hen | V | | | | |
| | <i>Gallinula tenebrosa</i> Gould | Dusky Moorhen | V | | | | |
| | <i>Gallinula hodgsoni</i> (Scarlett) | Hodgen's Rail | Z | | | | |
| | <i>Porphyrio</i> Brisson | | | | | | |
| | <i>Porphyrio porphyrio</i> (Linnaeus) | Purple Gallinule/ Purple Swampphen | | | | | |
| | <i>Porphyrio porphyrio melanotus</i> Temminck | Pukeko (Swampphen) | #OC | N | SO | | |
| | <i>Porphyrio mantelli</i> (Owen) | Takahe (Notornis) | | | | | |
| | <i>Porphyrio mantelli mantelli</i> (Owen) | North Island Takahe | Z | | | | |
| | <i>Porphyrio mantelli hochstetteri</i> (A. B. Meyer) | South Island Takahe | #CE | 1 | CD, ST, HI | | |
| | <i>Fulica</i> Linnaeus | | | | | | |
| | <i>Fulica atra</i> Linnaeus | Eurasian Coot | | | | | |
| | <i>Fulica atra australis</i> Gould | Australian Coot | # | C | SO | | |
| | <i>Fulica chathamensis</i> Forbes | Chatham Island Coot | Z | | | | |
| | <i>Fulica prisca</i> Hamilton | New Zealand Coot | Z | | | | |
| | APTORNITHIDAE : The Aptornis | | | | | | |
| | <i>Aptornis</i> Owen | | | | | | |
| | <i>Aptornis otidiformis</i> (Owen) | North Island Aptornis | Z | | | | |
| | <i>Aptornis defossor</i> Owen | South Island Aptornis | Z | | | | |
| | GRUIDAE : Cranes | | | | | | |
| | [GRUINAE : Cranes] | | | | | | |
| | <i>Grus</i> Brisson | | | | | | |
| | <i>Grus rubicundus</i> (Perry) | Brolga | V | | | | |
| | CHARADRIFORMES : Waders, Gulls and Terns, Auks | | | | | | |

| | | | | | |
|---|--|--|------|------|----------------|
| [CHARADRII : Waders and Allies] | | | | | |
| ROSTRATULIDAE : Painted Snipe | | | | | |
| | Rostratula Vieillot | | | | |
| | <i>Rostratula benghalensis</i> (Linnaeus) | Painted Snipe | V | | |
| HAEMATOPODIDAE : Oystercatchers | | | | | |
| | Haematopus Linnaeus | | | | |
| | <i>Haematopus ostralegus</i> Linnaeus | Pied Oystercatcher | | | |
| | <i>Haematopus ostralegus finschi</i> Martens | South Island Pied Oystercatcher (<i>Torea</i>) | #CE | N | |
| | <i>Haematopus unicolor</i> J. R. Forster | Variable Oystercatcher (<i>Torea</i> ; dark phase, <i>Torea pango</i>) | #CE | N | |
| | <i>Haematopus chathamensis</i> Hartert | Chatham Island Pied Oystercatcher | OE | 1 | CD, RC, HI |
| RECURVIROSTRIDAE : Stilts and Avocets | | | | | |
| [RECURVIROSTRINAE : Stilts and Avocets] | | | | | |
| | Himantopus Brisson | | | | |
| | <i>Himantopus himantopus</i> (Linnaeus) | Pied Stilt | | | |
| | <i>Himantopus himantopus leucocephalus</i> Gould | Australasian Pied Stilt (<i>Poaka</i>) | #C | N | SO |
| | <i>Himantopus novaeseelandiae</i> Gould | Black Stilt (<i>Kaki</i>) | #E | 1 | CD, ST, HI, OL |
| | Recurvirostra Linnaeus | | | | |
| | <i>Recurvirostra novaehollandiae</i> Vieillot | Australian Red-necked Avocet | V | | |
| GLAREOLIDAE : Pratincoles and Coursers | | | | | |
| [GLAREOLINAE : Pratincoles] | | | | | |
| | Glareola Brisson | | | | |
| | <i>Glareola maldivarum</i> J. R. Forster | Oriental Pratincole | V | M | |
| CHARADRIIDAE : Dotterels, Plovers, Lapwings | | | | | |
| [CHARADRIINAE : Plovers] | | | | | |
| | Charadrius Linnaeus | | | | |
| | <i>Charadrius obscurus</i> Gmelin | New Zealand Dotterel (<i>Tuturiwhatu</i>) | #CE | 1, 6 | CD, HI, OL, RC |
| | <i>Charadrius bicinctus</i> Jardine & Selby | Banded Dotterel | | | |
| | <i>Charadrius bicinctus bicinctus</i> Jardine & Selby | Banded Dotterel (<i>Tuturiwhatu</i>) | #OCE | 5 | |
| | <i>Charadrius bicinctus exilis</i> Filla | Auckland Island Banded Dotterel | OE | 7 | ST, HI |
| | <i>Charadrius ruficapillus</i> Temminck | Red-capped Dotterel | V | | |
| | <i>Charadrius melanops</i> Vieillot | Black-fronted Dotterel | # | C | SO |
| | <i>Charadrius hiaticula</i> Linnaeus | Ringed Plover | V | | |
| | <i>Charadrius leschenaultii</i> Lesson | Large Sand Dotterel | #S | | |
| | <i>Charadrius mongolus</i> Pallas | Mongolian Dotterel | | | |
| | <i>Charadrius mongolus mongolus</i> Pallas | Mongolian Dotterel | #S | M | |
| | <i>Charadrius mongolus atrifrons</i> Wagler | Tibetan Dotterel | #S | | |
| | <i>Charadrius veredus</i> Gould | Oriental Dotterel | V | M | |
| | Erythronyx Gould | | | | |
| | <i>Erythronyx cinctus</i> Gould | Red-kneed Dotterel | V | | |
| | Thinornis G. R. Gray | | | | |
| | <i>Thinornis novaeseelandiae</i> (Gmelin) | Shore Plover (<i>Tuturuatu</i>) | OE | 1 | ST, HI |
| | Anarhynchus Quoy & Gaimard | | | | |
| | <i>Anarhynchus frontalis</i> Quoy & Gaimard | Wrybill (<i>Ngutaparore</i>) | #E | 3 | |
| | Pluvialis Brisson | | | | |
| | <i>Pluvialis fulva</i> (Gmelin) | Pacific Golden Plover | #OC | M | |
| | <i>Pluvialis dominica</i> (Müller) | American Golden Plover | V | | |
| | <i>Pluvialis squatarola</i> (Linnaeus) | Grey Plover | #OS | M | |
| | Vanellus Brisson | | | | |
| | <i>Vanellus miles</i> (Boddaert) | Masked Plover | | | |
| | <i>Vanellus miles novaehollandiae</i> Stephens | Spur-winged Plover | #OC | C | |
| [ARENARIINAE : Turnstones and Surfbird] | | | | | |
| | Arenaria Brisson | | | | |
| | <i>Arenaria interpres</i> (Linnaeus) | Turnstone | #OC | M | |
| SCOLOPACIDAE : Snipe, Sandpipers, Godwits, Curlews | | | | | |
| [SCOLOPACINAE : Snipe] | | | | | |
| | Coenocorypha G. R. Gray | | | | |
| | <i>Coenocorypha aucklandica</i> (G. R. Gray) | New Zealand Snipe | | | |
| | <i>Coenocorypha aucklandica aucklandica</i> (G. R. Gray) | Auckland Island Snipe | OE | N | |
| | <i>Coenocorypha aucklandica huegeli</i> (Tristram) | Snares Island Snipe | OE | 7 | ST, OL |
| | <i>Coenocorypha aucklandica iredalei</i> Rothschild | Stewart Island Snipe (<i>Tutukiwi</i>) | #EX | E | |
| | <i>Coenocorypha aucklandica meinertzhagenae</i> Rothschild | Antipodes Island Snipe | OE | 7 | ST |
| | <i>Coenocorypha aucklandica barrierensis</i> Oliver | Little Barrier Snipe | CEX | E | |
| | <i>Coenocorypha pusilla</i> (Buller) | Chatham Island Snipe | OE | 7 | ST, HI |
| | <i>Coenocorypha chathamica</i> (Forbes) | Extinct Chatham Island Snipe | Z | | |
| | Gallinago Brisson | | | | |
| | <i>Gallinago hardwickii</i> (J. E. Gray) | Japanese Snipe | V | M | |
| [CALIDRINAE : Sandpipers, Stints] | | | | | |
| | Calidris Merrem | | | | |
| | <i>Calidris canutus</i> (Linnaeus) | Lesser Knot | | | |
| | <i>Calidris canutus canutus</i> (Linnaeus) | Lesser Knot (<i>Huahou</i>) | #O | M | |
| | <i>Calidris tenuirostris</i> (Horsfield) | Great Knot | V | M | |
| | <i>Calidris alba</i> (Pallas) | Sanderling | #S | M | |
| | <i>Calidris alpina</i> (Linnaeus) | Dunlin | V | | |
| | <i>Calidris ferruginea</i> (Pontoppidan) | Curlew Sandpiper | #S | | |
| | <i>Calidris acuminata</i> (Horsfield) | Sharp-tailed Sandpiper | # | M | |
| | <i>Calidris melanotos</i> (Vieillot) | Pectoral Sandpiper | #S | M | |
| | <i>Calidris bairdii</i> (Coues) | Baird's Sandpiper | V | | |
| | <i>Calidris fuscicollis</i> (Vieillot) | White-rumped Sandpiper | V | | |
| | <i>Calidris minuta</i> (Leisler) | Little Stint | V | | |
| | <i>Calidris subminuta</i> (Middendorff) | Long-toed Stint | V | | |
| | <i>Calidris ruficollis</i> (Pallas) | Red-necked Stint | #O | M | |
| | <i>Calidris mauri</i> (Cabanis) | Western Sandpiper | V | | |
| | Micropalama Baird | | | | |
| | <i>Micropalama himantopus</i> (Bonaparte) | Stilt Sandpiper | V | | |
| | Limicola Koch | | | | |
| | <i>Limicola falcinellus</i> (Pontoppidan) | Broad-billed Sandpiper | | | |
| | <i>Limicola falcinellus sibiricus</i> Dresser | Eastern Broad-billed Sandpiper | V | M | |
| | Philomachus Merrem | | | | |
| | <i>Philomachus pugnax</i> (Linnaeus) | Ruff | V | | |
| | Limnodromus Weid | | | | |
| | <i>Limnodromus semipalmatus</i> (Blyth) | Asiatic Dowitcher | V | V | |
| [TRINGINAE : Curlews, Godwits, Shanks] | | | | | |
| | Numenius Brisson | | | | |
| | <i>Numenius madagascariensis</i> (Linnaeus) | Eastern Curlew | # | M | |
| | <i>Numenius phaeopus</i> (Linnaeus) | Whimbrel | | | |
| | <i>Numenius phaeopus variegatus</i> (Scopoli) | Asiatic Whimbrel | #OC | M | |
| | <i>Numenius phaeopus hudsonicus</i> Latham | American Whimbrel (Hudsonian Curlew) | #S | | |
| | <i>Numenius minutus</i> Gould | Little Whimbrel | V | M | |

| | | | | | | |
|--|--|--|--|------|---|----------------|
| | | <i>Numenius tahitiensis</i> (Gmelin) | Bristle-thighed Curlew | V | V | YO |
| | Limosa | Brisson | | | | |
| | | <i>Limosa lapponica</i> (Linnaeus) | Bar-tailed Godwit | | | |
| | | <i>Limosa lapponica baueri</i> Naumann | Eastern Bar-tailed Godwit (<i>Kuaka</i>) | #OC | M | |
| | | <i>Limosa limosa</i> (Linnaeus) | Black-tailed Godwit | | | |
| | | <i>Limosa limosa melanuroides</i> Gould | Asiatic Black-tailed Godwit | #S | M | |
| | | <i>Limosa haemastica</i> (Linnaeus) | Hudsonian Godwit | V | M | |
| | Bartramia | Lesson | | | | |
| | | <i>Bartramia longicauda</i> (Bechstein) | Upland Sandpiper | V | | |
| | Tringa | Linnaeus | | | | |
| | | <i>Tringa incana</i> (Gmelin) | Wandering (Alaskan) Tattler | #OCS | M | |
| | | <i>Tringa brevipes</i> (Vieillot) | Siberian (Grey-tailed) Tattler | #OC | M | |
| | | <i>Tringa hypoleucos</i> Linnaeus | Common Sandpiper | #S | M | |
| | | <i>Tringa nebularia</i> (Gunnerus) | Greenshank | #S | M | |
| | | <i>Tringa stagnatilis</i> (Bechstein) | Marsh Sandpiper | #S | M | |
| | | <i>Tringa flavipes</i> (Gmelin) | Lesser Yellowlegs | V | | |
| | | <i>Tringa terek</i> (Latham) | Terek Sandpiper | #S | M | |
| | PHALAROPODIDAE : Phalaropes | | | | | |
| | Phalaropus | Brisson | | | | |
| | | <i>Phalaropus fulicarius</i> (Linnaeus) | Grey (Red) Phalarope | V | | |
| | | <i>Phalaropus lobatus</i> (Linnaeus) | Red-necked Phalarope | V | | |
| | | <i>Phalaropus tricolor</i> (Vieillot) | Wilson's Phalarope | V | | |
| | [LARI : Skuas, Gulls, Terns, Skimmers] | | | | | |
| | STERCORARIIDAE : Greater Skuas (Bonxies), Lesser Skuas (Jaegers) | | | | | |
| | Catharacta | Brünnlich | | | | |
| | | <i>Catharacta skua</i> Brünnlich | Great Skua | | | |
| | | <i>Catharacta skua lonnbergi</i> Mathews | Brown (Subantarctic) Skua (<i>Hakoakoa</i>) | #OC | 6 | SO |
| | | <i>Catharacta maccormicki</i> (Saunders) | South Polar Skua | O | M | |
| | Stercorarius | Brisson | | | | |
| | | <i>Stercorarius parasiticus</i> (Linnaeus) | Arctic Skua | OC | M | |
| | | <i>Stercorarius pomarinus</i> (Temminck) | Pomarine Skua | OS | M | |
| | | <i>Stercorarius longicaudus</i> Vieillot | Long-tailed Skua | OS | M | |
| | LARIDAE : Gulls and Terns | | | | | |
| | [LARINAE : Gulls] | | | | | |
| | Larus | Linnaeus | | | | |
| | | <i>Larus dominicanus</i> Lichtenstein | Southern Black-backed Gull (Kelp Gull, Dominican Gull) | | | |
| | | <i>Larus dominicanus dominicanus</i> Lichtenstein | Southern Black-backed Gull (<i>Karoro</i>) | #OC | N | SO |
| | | <i>Larus novaehollandiae</i> Stephens | Red-billed Gull | | | |
| | | <i>Larus novaehollandiae scopulinus</i> J. R. Forster | Red-billed Gull (<i>Tarapunga</i>) | #OCE | N | |
| | | <i>Larus bulleri</i> Hutton | Black-billed Gull | #E | 4 | |
| | | <i>Larus pipixcan</i> Wagler | Franklin's Gull | V | | |
| | [STERNINAE : Terns] | | | | | |
| | Chlidonias | Rafinesque | | | | |
| | | <i>Chlidonias hybrida</i> (Pallas) | Whiskered Tern | V | | |
| | | <i>Chlidonias leucopterus</i> (Temminck) | White-winged Black Tern | #S | M | |
| | Gelochelidon | Brehm | | | | |
| | | <i>Gelochelidon nilotica</i> (Gmelin) | Gull-billed Tern | V | | |
| | Sterna | Linnaeus | | | | |
| | | <i>Sterna albobriata</i> (G. R. Gray) | Black-fronted Tern (<i>Tarapiroe</i>) | #CE | 4 | HI |
| | | <i>Sterna caspia</i> Pallas | Caspian Tern (<i>Taranui</i>) | #C | 3 | SO |
| | | <i>Sterna striata</i> Gmelin | White-fronted Tern (<i>Tara</i>) | #OC | 5 | HI |
| | | <i>Sterna fuscata</i> Linnaeus | Sooty Tern | | | |
| | | <i>Sterna fuscata serrata</i> Wagler | Sooty Tern | O | 5 | TO |
| | | <i>Sterna vittata</i> Gmelin | Antarctic Tern | | | |
| | | <i>Sterna vittata bethunei</i> Buller | New Zealand Antarctic Tern | OE | 7 | TO, HI |
| | | <i>Sterna nereis</i> (Gould) | Fairy Tern | | | |
| | | <i>Sterna nereis davisae</i> (Mathews & Iredale) | New Zealand Fairy Tern | #E | 1 | OL |
| | | <i>Sterna albifrons</i> Pallas | Little Tern | | | |
| | | <i>Sterna albifrons sinensis</i> Gmelin | Eastern Little Tern | # | M | |
| | | <i>Sterna paradisaea</i> Pontoppidan | Arctic Tern | #S | M | |
| | | <i>Sterna bergii</i> Lichtenstein | Crested Tern | V | | |
| | | <i>Sterna hirundo</i> Linnaeus | Common Tern | | | |
| | | <i>Sterna hirundo longipennis</i> Nordmann | Eastern Common Tern | V | M | |
| | | <i>Sterna anaethetus</i> Scopoli | Bridled (Brown-winged) Tern | V | | |
| | [MEGALOPTERINAE : Noddies] | | | | | |
| | Anous | Stephens | | | | |
| | | <i>Anous stolidus</i> (Linnaeus) | Common Noddy | | | |
| | | <i>Anous stolidus pileatus</i> (Scopoli) | Common Noddy | O | 1 | SO |
| | | <i>Anous tenuirostris</i> (Temminck) | Lesser Noddy | | | |
| | | <i>Anous tenuirostris minutus</i> Boie | White-capped Noddy | O | 7 | SO |
| | Procelsterna | Lafresnaye | | | | |
| | | <i>Procelsterna cerulea</i> (Bennett) | Blue-grey Noddy | | | |
| | | <i>Procelsterna cerulea albivitta</i> Bonaparte | Grey Ternlet | OC | 7 | SO |
| | Gygis | Wagler | | | | |
| | | <i>Gygis alba</i> (Sparrman) | White Tern | | | |
| | | <i>Gygis alba rozana</i> Mathews | White Tern | O | 1 | SO |
| | COLUMBIFORMES : Pigeons and Doves | | | | | |
| | [COLUMBAE : Pigeons and Doves] | | | | | |
| | COLUMBIDAE : Pigeons and Doves | | | | | |
| | [PTILINOPINAE : Fruit-pigeons] | | | | | |
| | Hemiphaga | Bonaparte | | | | |
| | | <i>Hemiphaga novaeseelandiae</i> (Gmelin) | New Zealand Pigeon (<i>Kereru</i> , <i>Kukupa</i>) | | | |
| | | <i>Hemiphaga novaeseelandiae novaeseelandiae</i> (Gmelin) | New Zealand Pigeon (<i>Kereru</i>) | #CE | 5 | RF |
| | | <i>Hemiphaga novaeseelandiae chathamensis</i> (Rothschild) | Chatham Island Pigeon | OE | 1 | CD, RC, HI, OL |
| | [COLUMBINAE : Typical Pigeons] | | | | | |
| | Columba | Linnaeus | | | | |
| | | <i>Columba livia</i> Gmelin | Rock Pigeon | #CI | | |
| | Streptopelia | Bonaparte | | | | |
| | | <i>Streptopelia roseogrisea</i> (Sundevall) | Barbary Dove | #I | | |
| | | <i>Streptopelia chinensis</i> (Scopoli) | Spotted Dove | | | |
| | | <i>Streptopelia chinensis tigrina</i> (Temminck) | Spotted Dove | #I | | |
| | PSITTACIFORMES : Cockatoos and Parrots | | | | | |
| | CACATUIDAE : Cockatoos | | | | | |
| | [CACATUINAE : White Cockatoos and Allies] | | | | | |
| | Cacatua | Vieillot | | | | |
| | | <i>Cacatua galerita</i> (Latham) | Sulphur-crested Cockatoo | #I | | |
| | PSITTACIDAE : Parrots | | | | | |
| | [STRIGOPINAE : Kakapo] | | | | | |
| | Strigops | Gray | | | | |
| | | <i>Strigops habroptilus</i> Gray | Kakapo | #CE | 1 | CD, HI, OL |
| | [NESTORINAE : Kakas and Kea] | | | | | |
| | Nestor | Lesson | | | | |
| | | <i>Nestor meridionalis</i> (Gmelin) | Kaka | | | |
| | | <i>Nestor meridionalis septentrionalis</i> Lorenz | North Island Kaka | #CE | 2 | HI |

| | | | | | | |
|--|---|---|--|------|---|----------------|
| | | <i>Nestor meridionalis meridionalis</i> (Gmelin) | South Island Kaka | #CE | 2 | HI |
| | | <i>Nestor notabilis</i> Gould | Kea | #E | 2 | |
| | [PLATYCERCINAE : Rosellas and Allies] | | | | | |
| | | <i>Platycercus</i> Vigors | | | | |
| | | <i>Platycercus elegans</i> (Gmelin) | Crimson Rosella | #I | | |
| | | <i>Platycercus eximius</i> (Shaw) | Eastern Rosella | #I | | |
| | | <i>Cyanoramphus</i> Bonaparte | | | | |
| | | <i>Cyanoramphus unicolor</i> (Lear) | Antipodes Island Parakeet | OE | 7 | ST, OL |
| | | <i>Cyanoramphus novaezelandiae</i> (Sparman) | Red-crowned Parakeet | | | |
| | | <i>Cyanoramphus novaezelandiae cyanurus</i> Salvadori | Kermadec Parakeet | OE | 7 | HI |
| | | <i>Cyanoramphus novaezelandiae novaezelandiae</i> (Sparman) | Red-crowned Parakeet (<i>Kakariki</i>) | #OCE | N | HI |
| | | <i>Cyanoramphus novaezelandiae chathamensis</i> Oliver | Chatham Island Red-crowned Parakeet | OE | 7 | ST, HI |
| | | <i>Cyanoramphus novaezelandiae hochstetteri</i> (Reischek) | Reischek's Parakeet | OE | 7 | ST, OL |
| | | <i>Cyanoramphus novaezelandiae erythrotis</i> (Wagler) | Macquarie Island Parakeet | Z | | |
| | | <i>Cyanoramphus auriceps</i> (Kuhl) | Yellow-crowned Parakeet | | | |
| | | <i>Cyanoramphus auriceps auriceps</i> (Kuhl) | Yellow-crowned Parakeet (<i>Kakariki</i>) | #CE | 5 | HI, EF |
| | | <i>Cyanoramphus auriceps forbesi</i> Rothschild | Forbes' Parakeet | OE | 2 | CD, RC, HI, OL |
| | CUCULIFORMES : Cuckoos and Turacos | | | | | |
| | [CUCULI : Cuckoos and Allies] | | | | | |
| | CUCULIDAE : Cuckoos, Keets and Coucals | | | | | |
| | [CUCULINAE : Parasitic Cuckoos] | | | | | |
| | | <i>Cuculus</i> Linnaeus | | | | |
| | | <i>Cuculus saturatus</i> Blyth | Oriental Cuckoo | #S | | |
| | | <i>Cuculus pallidus</i> (Latham) | Pallid Cuckoo | V | | |
| | | <i>Cacomantis</i> Müller | | | | |
| | | <i>Cacomantis flabelliformis</i> Latham | Fan-tailed Cuckoo | | | |
| | | <i>Cacomantis flabelliformis flabelliformis</i> Latham | Fan-tailed Cuckoo | V | | |
| | | <i>Chrysococcyx</i> Boie | | | | |
| | | <i>Chrysococcyx lucidus</i> (Gmelin) | Shining Cuckoo | | | |
| | | <i>Chrysococcyx lucidus lucidus</i> (Gmelin) | Shining Cuckoo (<i>Piwiwharauoa</i>) | #OCE | N | |
| | | <i>Eudynamis</i> Vigors & Horsfield | | | | |
| | | <i>Eudynamis orientalis</i> (Linnaeus) | Pacific Koel | V | | |
| | | <i>Eudynamis taitensis</i> (Sparman) | Long-tailed Cuckoo (<i>Koekoeka</i>) | #CE | 5 | DP, HI |
| | | <i>Scythrops</i> Latham | | | | |
| | | <i>Scythrops novaehollandiae</i> Latham | Channel-billed Cuckoo | V | | |
| | STRIGIFORMES : Owls | | | | | |
| | STRIGIDAE : Typical Owls | | | | | |
| | [BUBONINAE : Hawk Owls and Allies] | | | | | |
| | | <i>Ninox</i> Hodgson | | | | |
| | | <i>Ninox novaeseelandiae</i> (Gmelin) | Morepork | | | |
| | | <i>Ninox novaeseelandiae novaeseelandiae</i> (Gmelin) | Morepork (<i>Ruru</i>) | #CE | N | |
| | | <i>Sceloglaux</i> Kaup | | | | |
| | | <i>Sceloglaux albigifacies</i> (Gray) | Laughing Owl (<i>Whekau</i>) | | | |
| | | <i>Sceloglaux albigifacies ruffifacies</i> Buller | North Island Laughing Owl | EX | E | |
| | | <i>Sceloglaux albigifacies albigifacies</i> (Gray) | South Island Laughing Owl (<i>Whekau</i>) | EX | E | |
| | | <i>Athene</i> Boie | | | | |
| | | <i>Athene noctua</i> (Scopoli) | Little Owl | #I | | |
| | TYTONIDAE : Barn Owls | | | | | |
| | [TYTONINAE : Barn Owls] | | | | | |
| | | <i>Tyto</i> Billberg | | | | |
| | | <i>Tyto alba</i> (Scopoli) | Barn Owl | | | |
| | | <i>Tyto alba delicatula</i> (Gould) | Australian Barn Owl | V | | |
| | CAPRIMULGIFORMES : Frogmouths, Nightjars | | | | | |
| | [AEGOTHELAE : Owlet-nightjars] | | | | | |
| | AEGOTHELIDAE : Owlet-nightjars | | | | | |
| | | <i>Megaegotheles</i> Scarlett | | | | |
| | | <i>Megaegotheles novaeseelandiae</i> Scarlett | New Zealand Owlet-nightjar | Z | | |
| | APODIFORMES : Swifts | | | | | |
| | [APODI : Swifts] | | | | | |
| | APODIDAE : Swifts | | | | | |
| | [CHAETURINAE : Spine-tailed Swifts] | | | | | |
| | | <i>Hirundapus</i> Hodgson | | | | |
| | | <i>Hirundapus caudacutus</i> (Latham) | Spine-tailed Swift | | | |
| | | <i>Hirundapus caudacutus caudacutus</i> (Latham) | Spine-tailed Swift | #S | | |
| | [APODINAE : Typical Swifts] | | | | | |
| | | <i>Apus</i> (Scopoli) | | | | |
| | | <i>Apus pacificus</i> (Latham) | Fork-tailed Swift | | | |
| | | <i>Apus pacificus pacificus</i> (Latham) | Fork-tailed Swift | V | | |
| | CORACIFORMES : Kingfishers, Bee-eaters, Rollers and Allies | | | | | |
| | [ALCEDINAE : Kingfishers, Motmots and Allies] | | | | | |
| | ALCEDINIDAE : Kingfishers | | | | | |
| | [DACELOINAE : Forest Kingfishers] | | | | | |
| | | <i>Dacelo</i> Leach | | | | |
| | | <i>Dacelo novaeguineae</i> (Hermann) | Kookaburra | | | |
| | | <i>Dacelo novaeguineae novaeguineae</i> (Hermann) | Kookaburra | #CI | | |
| | | <i>Halcyon</i> Swainson | | | | |
| | | <i>Halcyon sancta</i> Vigors & Horsfield | Sacred Kingfisher | | | |
| | | <i>Halcyon sancta vagans</i> (Lesson) | New Zealand Kingfisher (<i>Kotare</i>) | #OC | N | SO |
| | [CORACII : Rollers and Allies] | | | | | |
| | CORACIIDAE : Rollers | | | | | |
| | | <i>Eurystomus</i> Vieillot | | | | |
| | | <i>Eurystomus orientalis</i> (Linnaeus) | Eastern Broad-billed Roller | | | |
| | | <i>Eurystomus orientalis pacificus</i> (Latham) | Dollarbird | V | | |
| | PASSERIFORMES : Passerine Birds | | | | | |
| | [OLIGOMYODI : Suboscines] | | | | | |
| | [ACANTHISITTIDAE : New Zealand Wrens] | | | | | |
| | ACANTHISITTIDAE : New Zealand Wrens | | | | | |
| | | <i>Acanthisitta</i> Lafresnaye | | | | |
| | | <i>Acanthisitta chloris</i> (Sparman) | Rifleman | | | |
| | | <i>Acanthisitta chloris granti</i> Mathews & Tredale | North Island Rifleman (<i>Titipounamu</i>) | #CE | N | DP |
| | | <i>Acanthisitta chloris chloris</i> (Sparman) | South Island Rifleman (<i>Titipounamu</i>) | #CE | N | DP |
| | | <i>Xenicus</i> G. R. Gray | | | | |
| | | <i>Xenicus longipes</i> (Gmelin) | Bush Wren | | | |
| | | <i>Xenicus longipes stokesii</i> G. R. Gray | North Island Bush Wren | Z | E | |
| | | <i>Xenicus longipes longipes</i> (Gmelin) | South Island Bush Wren (<i>Matuhi</i>) | #EX | E | |
| | | <i>Xenicus longipes variabilis</i> Stead | Stead's Bush Wren | #EX | E | |
| | | <i>Xenicus gilviventris</i> Pelzeln | Rock Wren | #E | 3 | DP |
| | | <i>Traversia</i> Rothschild | | | | |

| | | | | | | |
|---|--|--|--|------|---|------------|
| | | <i>Traversia lyalli</i> Rothschild | Stephens Island Wren | Z | E | |
| | | <i>Pachyplichas</i> Millener | | | | |
| | | <i>Pachyplichas yaldwyni</i> Millener | South Island Stout-legged Wren | Z | | |
| | | <i>Pachyplichas jagmi</i> Millener | North Island Stout-legged Wren | Z | | |
| (PASSERES (or POLYMYODI) : Oscines (Songbirds)) | | | | | | |
| ALAUDIDAE : Larks | | | | | | |
| | | <i>Alauda</i> Linnaeus | | | | |
| | | <i>Alauda arvensis</i> Linnaeus | Skylark | #OCI | | |
| HIRUNDINIDAE : Swallows and Martins | | | | | | |
| | | <i>Hirundo</i> Linnaeus | | | | |
| | | <i>Hirundo tahitica</i> Gmelin | Welcome Swallow | | | |
| | | <i>Hirundo tahitica neoxena</i> Gould | Welcome Swallow | #OC | C | SO |
| | | <i>Hirundo nigricans</i> Vieillot | Australian Tree Martin | | | |
| | | <i>Hirundo nigricans nigricans</i> Vieillot | Australian Tree Martin | #S | | |
| | | <i>Hirundo ariel</i> (Gould) | Fairy Martin | V | | |
| MOTACILLIDAE : Wagtails and Pipits | | | | | | |
| | | <i>Anthus</i> Bechstein | | | | |
| | | <i>Anthus novaeseelandiae</i> (Gmelin) | Richard's/Australian/New Zealand Pipit | | | |
| | | <i>Anthus novaeseelandiae novaeseelandiae</i> (Gmelin) | New Zealand Pipit (<i>Pihohoi</i>) | #CE | N | |
| | | <i>Anthus novaeseelandiae chathamensis</i> Lorenz-Liburnau | Chatham Island Pipit | OE | N | |
| | | <i>Anthus novaeseelandiae aucklandicus</i> G. R. Gray | Auckland Island Pipit | OE | N | |
| | | <i>Anthus novaeseelandiae steindachneri</i> Reischek | Antipodes Island Pipit | OE | | |
| CAMPEPHAGIDAE : Cuckoo-shrikes | | | | | | |
| | | <i>Coracina</i> Vieillot | | | | |
| | | <i>Coracina novaehollandiae</i> (Gmelin) | Black-faced Cuckoo-shrike | #S | | |
| | | <i>Lalage</i> Boie | | | | |
| | | <i>Lalage tricolor</i> (Swainson) | Australian White-winged Triller | V | | |
| PYCNONOTIDAE : Bulbuls | | | | | | |
| | | <i>Pycnonotus</i> Boie | | | | |
| | | <i>Pycnonotus cafer</i> Linnaeus | Red-vented Bulbul | | | |
| | | <i>Pycnonotus cafer bengalensis</i> Blyth | Red-vented Bulbul | #IX | | |
| PRUNELLIDAE : Accentors | | | | | | |
| | | <i>Prunella</i> Vieillot | | | | |
| | | <i>Prunella modularis</i> (Linnaeus) | Hedge Sparrow (Duncock) | #OCI | | |
| MUSCIPALIDAE : Warblers, Flycatchers, Thrushes, etc. | | | | | | |
| (TURDINAE : Thrushes and Allies) | | | | | | |
| | | <i>Turdus</i> Linnaeus | | | | |
| | | <i>Turdus merula</i> Linnaeus | Blackbird | #OCI | | |
| | | <i>Turdus philomelos</i> Brehm | Song Thrush | #OCI | | |
| SYLVIIDAE : Old World Warblers | | | | | | |
| | | <i>Bowdleria</i> Rothschild | | | | |
| | | <i>Bowdleria punctata</i> (Quoy & Gaimard) | Fernbird | | | |
| | | <i>Bowdleria punctata vealeae</i> Kemp | North Island Fernbird (<i>Matata</i>) | #CE | 6 | HI |
| | | <i>Bowdleria punctata punctata</i> (Quoy & Gaimard) | South Island Fernbird (<i>Matata</i>) | #CE | 6 | HI |
| | | <i>Bowdleria punctata stewartiana</i> Oliver | Stewart Island Fernbird (<i>Matata</i>) | #CE | 2 | ST, HI |
| | | <i>Bowdleria punctata wilsoni</i> Stead | Codfish Island Fernbird (<i>Matata</i>) | CE | 1 | RC |
| | | <i>Bowdleria punctata caudata</i> (Buller) | Snares Island Fernbird (<i>Karoti</i>) | OE | 7 | ST, OL |
| | | <i>Bowdleria rufescens</i> (Buller) | Chatham Island Fernbird | Z | E | |
| PACHYCEPHALIDAE : Whistlers and Allies | | | | | | |
| (MOHOUINAE : Whitehead and Allies) | | | | | | |
| | | <i>Mohoua</i> Lesson | | | | |
| | | <i>Mohoua albigilla</i> (Lesson) | Whitehead (<i>Popokatea</i>) | #CE | N | HI |
| | | <i>Mohoua ochrocephala</i> (Gmelin) | Yellowhead (<i>Mohua</i>) | #E | 2 | HI, EF |
| | | <i>Mohoua novaeseelandiae</i> (Gmelin) | Brown Creeper (<i>Pipipi</i>) | #CE | N | HI |
| ACANTHIZIDAE : Australasian Warblers | | | | | | |
| (ACANTHIZINAE : Australasian Warblers) | | | | | | |
| | | <i>Gerygone</i> Gould | | | | |
| | | <i>Gerygone igata</i> (Quoy & Gaimard) | Grey Warbler (<i>Riririro</i>) | #CE | N | |
| | | <i>Gerygone albofrontata</i> Gray | Chatham Island Warbler | OE | 7 | ST, HI |
| MONARCHIDAE : Monarch Flycatchers | | | | | | |
| (MONARCHINAE : Monarch Flycatchers) | | | | | | |
| | | <i>Monarcha</i> Vigers & Horsfield | | | | |
| | | <i>Monarcha melanopsis</i> (Vieillot) | Black-faced Monarch | V | | |
| | | <i>Myiagra</i> Vigers & Horsfield | | | | |
| | | <i>Myiagra cyanoleuca</i> (Vieillot) | Satin Flycatcher | V | | |
| (RHIPIDURINAE : Fantails) | | | | | | |
| | | <i>Rhipidura</i> Vigers & Horsfield | | | | |
| | | <i>Rhipidura fuliginosa</i> (Sparman) | Grey/New Zealand Fantail | | | |
| | | <i>Rhipidura fuliginosa placabilis</i> Bangs | North Island Fantail (<i>Piwakawaka</i>) | #OCE | N | |
| | | <i>Rhipidura fuliginosa fuliginosa</i> (Sparman) | South Island Fantail (<i>Piwakawaka</i>) | #OCE | N | |
| | | <i>Rhipidura fuliginosa penita</i> Bangs | Chatham Island Fantail | OE | N | EF |
| | | <i>Rhipidura leucophrys</i> (Latham) | Willie Wagtail | V | | |
| EOPSALTRIDAE : Australasian Robins | | | | | | |
| | | <i>Petroica</i> Swainson | | | | |
| | | (<i>Petroica</i>) | | | | |
| | | <i>Petroica macrocephala</i> (Gmelin) | New Zealand Tomtit | | | |
| | | <i>Petroica macrocephala toitoi</i> (Lesson) | North Island Tomtit (<i>Miromiro</i>) | #CE | N | |
| | | <i>Petroica macrocephala macrocephala</i> (Gmelin) | South Island Tomtit (<i>Ngiru-ngiru</i>) | #CE | N | |
| | | <i>Petroica macrocephala chathamensis</i> Fleming | Chatham Island Tomtit | OE | 2 | RC, HI |
| | | <i>Petroica macrocephala danneferdi</i> (Rothschild) | Snares Island Tomtit | OE | 7 | ST, OL |
| | | <i>Petroica macrocephala marineri</i> (Mathews & Iredale) | Auckland Island Tomtit | OE | N | ST |
| | | (<i>Miro</i>) | | | | |
| | | <i>Petroica australis</i> (Sparman) | New Zealand Robin | | | |
| | | <i>Petroica australis longipes</i> (Garnot) | North Island Robin (<i>Toutouwai</i>) | #CE | N | DP |
| | | <i>Petroica australis australis</i> (Sparman) | South Island Robin (<i>Toutouwai</i>) | #CE | N | DP |
| | | <i>Petroica australis rakiura</i> Fleming | Stewart Island Robin | #CE | 2 | ST, HI |
| | | <i>Petroica traversi</i> (Buller) | Black Robin | OE | 1 | ST, HI |
| ZOSTEROPIDAE : White-eyes | | | | | | |
| | | <i>Zosterops</i> Vigers & Horsfield | | | | |
| | | <i>Zosterops lateralis</i> (Latham) | Silvereye | | | |
| | | <i>Zosterops lateralis lateralis</i> (Latham) | Silvereye | #OC | N | SO |
| MELIPHAGIDAE : Honeyeaters | | | | | | |
| | | <i>Notiomystis</i> Richmond | | | | |
| | | <i>Notiomystis cincta</i> (Du Bus) | Stitchbird (<i>Hihī</i>) | #CE | 7 | ST, HI, OL |
| | | <i>Anthornis</i> Gray | | | | |
| | | <i>Anthornis melanura</i> (Sparman) | Bellbird | | | |
| | | <i>Anthornis melanura obscura</i> Falla | Three Kings Bellbird | CE | 7 | ST, OL |
| | | <i>Anthornis melanura oneho</i> Bartle & Sagar | Poor Knights Bellbird | CE | 7 | ST, OL |

| | | | | | | |
|--|--|---|--|------|---|------------|
| | | <i>Anthornis melanura melanura</i> (Sparman) | Bellbird (<i>Korimako, Makomako</i>) | #OCE | N | HI |
| | | <i>Anthornis melanura melanocephala</i> Gray | Chatham Island Bellbird | Z | E | |
| | | Prothemadera Gray | | | | |
| | | <i>Prothemadera novaeseelandiae</i> (Gmelin) | Tui | | | |
| | | <i>Prothemadera novaeseelandiae novaeseelandiae</i> (Gmelin) | Tui | #OCE | N | HI |
| | | <i>Prothemadera novaeseelandiae chathamensis</i> Hartert | Chatham Island Tui | OE | 2 | ST, HI, OL |
| | | Anthochaera Vigors & Horsfield | | | | |
| | | <i>Anthochaera carunculata</i> (White) | Red Wattlebird | V | | |
| | | EMBERIZIDAE : Buntings, Cardinals, Tanagers, etc. | | | | |
| | | [EMBERIZINAE : Buntings, American Sparrows] | | | | |
| | | Emberiza Linnaeus | | | | |
| | | <i>Emberiza citrinella</i> Linnaeus | Yellowhammer | #OCI | | |
| | | <i>Emberiza cirtus</i> Linnaeus | Cirl Bunting | #I | | |
| | | FRINGILLIDAE : Finches | | | | |
| | | [FRINGILLINAE : True Finches] | | | | |
| | | Fringilla Linnaeus | | | | |
| | | <i>Fringilla coelebs</i> Linnaeus | Chaffinch | #OCI | | |
| | | [CARDUELINAE : Greenfinch, Goldfinch, etc.] | | | | |
| | | Carduelis Brisson | | | | |
| | | <i>Carduelis chloris</i> (Linnaeus) | Greenfinch | #OCI | | |
| | | <i>Carduelis carduelis</i> (Linnaeus) | Goldfinch | #OCI | | |
| | | <i>Carduelis flammea</i> (Linnaeus) | Redpoll | #OCI | | |
| | | PLOCEIDAE : Weaverbirds | | | | |
| | | [PASSERINAE : Sparrows] | | | | |
| | | Passer Brisson | | | | |
| | | <i>Passer domesticus</i> (Linnaeus) | House Sparrow | #OCI | | |
| | | STURNIDAE : Starlings and Oxpeckers | | | | |
| | | [STURNINAE : Starlings] | | | | |
| | | Sturnus Linnaeus | | | | |
| | | <i>Sturnus vulgaris</i> Linnaeus | Starling | #OCI | | |
| | | Acridotheres Vieillot | | | | |
| | | <i>Acridotheres tristis</i> (Linnaeus) | Common Myna | #CI | | |
| | | CALLAEIDAE : New Zealand Wattlebirds | | | | |
| | | Callaeas J. R. Forster | | | | |
| | | <i>Callaeas cinerea</i> (Gmelin) | Kokako | | | |
| | | <i>Callaeas cinerea wilsoni</i> (Bonaparte) | North Island Kokako | #CE | 2 | CD, HI, RF |
| | | <i>Callaeas cinerea cinerea</i> (Gmelin) | South Island Kokako | #EX | 1 | HI |
| | | Philesturnus Geoffroy St.-Hilaire | | | | |
| | | <i>Philesturnus carunculatus</i> (Gmelin) | Saddleback | | | |
| | | <i>Philesturnus carunculatus rufusater</i> (Lesson) | North Island Saddleback (<i>Tieke</i>) | #CE | 7 | RC, HI |
| | | <i>Philesturnus carunculatus carunculatus</i> (Gmelin) | South Island Saddleback (<i>Tieke</i>) | #CE | 2 | HI |
| | | Heteralocha Cabanis | | | | |
| | | <i>Heteralocha acutirostris</i> (Gould) | Huia | Z | E | |
| | | ARTAMIDAE : Woodswallows | | | | |
| | | Artamus Vieillot | | | | |
| | | <i>Artamus personatus</i> (Gould) | Masked Woodswallow | V | | |
| | | <i>Artamus superciliosus</i> (Gould) | White-browed Woodswallow | V | | |
| | | CRATICIDAE : Bell Magpies | | | | |
| | | Gymnorhina Gray | | | | |
| | | <i>Gymnorhina tibicen</i> (Latham) | Australian Magpie | #I | | |
| | | PARADISAEIDAE : Birds-of-Paradise, Bower-birds and Piopios | | | | |
| | | [TURNAGRINAE : Piopios] | | | | |
| | | Turnagra Lesson | | | | |
| | | <i>Turnagra capensis</i> (Sparman) | Piopio | | | |
| | | <i>Turnagra capensis lanagra</i> (Schlegel) | North Island Piopio | #EX | E | |
| | | <i>Turnagra capensis capensis</i> (Sparman) | South Island Piopio | #EX | E | |
| | | CORVIDAE : Crows and Jays | | | | |
| | | Corvus Linnaeus | | | | |
| | | <i>Corvus frugilegus</i> Linnaeus | Rook | #I | | |
| | | Palaeocorax Forbes | | | | |
| | | <i>Palaeocorax moriorum</i> (Forbes) | Extinct New Zealand Crow | Z | | |